

ELEVATION CERTIFICATE

OMB No. 1660-0008
Expires March 31, 2012

Important: Read the instructions on pages 1-9.

SECTION A - PROPERTY INFORMATION

A1. Building Owner's Name Harrison II Equility Holdings, LLC	For Insurance Company Use: Policy Number Company NAIC Number
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. n/a 18505 28th Street City Long Beach State MS ZIP Code 39560	
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Portion of property situated in Section 1, T8S-R12W, Harrison County, MS 01011B-02-018.000	
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Non-Residential	
A5. Latitude/Longitude: Lat. 30d23'0.13"N Long. 89d09'08.61"W Horizontal Datum: <input type="checkbox"/> NAD 1927 <input checked="" type="checkbox"/> NAD 1983	
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.	
A7. Building Diagram Number n/a	
A8. For a building with a crawlspace or enclosure(s):	
a) Square footage of crawlspace or enclosure(s) n/a sq ft	A9. For a building with an attached garage:
b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade n/a	a) Square footage of attached garage n/a sq ft
c) Total net area of flood openings in A8.b n/a sq in	b) No. of permanent flood openings in the attached garage within 1.0 foot above adjacent grade n/a
d) Engineered flood openings? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	c) Total net area of flood openings in A9.b n/a sq in
	d) Engineered flood openings? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP Community Name & Community Number 28047C0244G, Harrison County, MS, and Incorp. Areas		B2. County Name Harrison County		B3. State MS	
B4. Map/Panel Number 28047 C 0244	B5. Suffix G	B6. FIRM Index Date 6/16/2009	B7. FIRM Panel Effective/Revised Date 6/16/2009	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 22.0
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. <input type="checkbox"/> FIS Profile <input checked="" type="checkbox"/> FIRM <input type="checkbox"/> Community Determined <input type="checkbox"/> Other (Describe) _____					
B11. Indicate elevation datum used for BFE in Item B9: <input type="checkbox"/> NGVD 1929 <input checked="" type="checkbox"/> NAVD 1988 <input type="checkbox"/> Other (Describe) _____					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Designation Date _____ <input type="checkbox"/> CBRS <input type="checkbox"/> OPA					

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction
*A new Elevation Certificate will be required when construction of the building is complete.

C2. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h below according to the building diagram specified in Item A7. Use the same datum as the BFE.
Benchmark Utilized OPUS Vertical Datum NAVD 88
Conversion/Comments _____

Check the measurement used.

a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 24.00	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
b) Top of the next higher floor n/a	<input type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
c) Bottom of the lowest horizontal structural member (V Zones only) n/a	<input type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
d) Attached garage (top of slab) n/a	<input type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) n/a	<input type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
f) Lowest adjacent (finished) grade next to building (LAG) 21.90	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
g) Highest adjacent (finished) grade next to building (HAG) 22.20	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support n/a	<input type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Check here if comments are provided on back of form. Were latitude and longitude in Section A provided by a licensed land surveyor? Yes No

Certifier's Name : Michael P. Blanchard	License Number 02834
Title : Professional Land Surveyor	Company Name : Acadia Land Surveying, L.L.C.
Address : 314 East Bayou Road	City : Thibodaux State LA ZIP Code 70301
Signature	Date 02/28/2012 Telephone 985-449-0094



IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.
n/a

City Long Beach State MS ZIP Code 39560

For Insurance Company Use:

Policy Number

Company NAIC Number

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments This elevation certificate is for a proposed building. The Lowest and Highest Adjacent grades are preconstruction grades. As per the Hurricane Katrina Surge Inundation and Advisory Base Flood Elevation Map, Harrison County, Mississippi, Map Number: MS -117, Date of Event: August 29, 2005, Date of Map: January 6, 2006, the site is located outside the limit of the ABFE Zone.

Signature 

Date 02/28/2012

Check here if attachments

SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

- E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).
 - a) Top of bottom floor (including basement, crawlspace, or enclosure) is _____ feet meters above or below the HAG.
 - b) Top of bottom floor (including basement, crawlspace, or enclosure) is _____ feet meters above or below the LAG.
- E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is _____ feet meters above or below the HAG.
- E3. Attached garage (top of slab) is _____ feet meters above or below the HAG.
- E4. Top of platform of machinery and/or equipment servicing the building is _____ feet meters above or below the HAG.
- E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G.

SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.

Property Owner's or Owner's Authorized Representative's Name _____

Address _____ City _____ State _____ ZIP Code _____

Signature _____ Date _____ Telephone _____

Comments _____

Check here if attachments

SECTION G - COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8 and G9.

- G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3. The following information (Items G4-G9) is provided for community floodplain management purposes.

G4. Permit Number _____	G5. Date Permit Issued _____	G6. Date Certificate Of Compliance/Occupancy Issued _____
-------------------------	------------------------------	---

- G7. This permit has been issued for: New Construction Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building: _____ feet meters (PR) Datum _____
- G9. BFE or (in Zone AO) depth of flooding at the building site: _____ feet meters (PR) Datum _____
- G10. Community's design flood elevation _____ feet meters (PR) Datum _____

Local Official's Name _____ Title _____

Community Name _____ Telephone _____

Signature _____ Date _____


Comments _____

Check here if attachments



**HURRICANE KATRINA SURGE INUNDATION
and
ADVISORY BASE FLOOD ELEVATION MAP
Harrison County, MS**
Date of Event: August 29, 2005
Date of Map: January 6, 2006
Map Number: MS-117

Estimated Katrina Surge Elevations ^{1,2}
18-19 ft
Advisory Base Flood Elevations ^{2,3}
Open Coast: N/A Back Bay: N/A
Effective Base Flood Elevations ²
VE Zone: N/A AE Zone: N/A



LEGEND	
State Boundary	County Boundary
Hurricane Katrina-Related Data	Flood Advisory-Related Data
Preliminary Indoor High Water Mark ²	ABFE Contours (1-foot intervals) ²
Preliminary Outdoor High Water Mark ²	ABFE Internal Lines ²
Preliminary Dams High Water Mark ²	Approx. Limit of 1.5-foot Wave Zone ²
Limit of Katrina Surge Inundation	Approx. Limit of 3-foot Wave Zone ²
	Open Coast/Back Bay Boundary
	Limit of ABFEs

Data Sources:
 Aerial Imagery: USGS National Agriculture Imagery Program, 2004
 Flood Damage and Elevation: FEMA Flood Insurance Risk Map, Hancock Co., MS (1983-1987); Harrison Co., MS (1984-2002)
 Jackson Co. (1984-1993); Elevation Converter: Flood SW/02/04 by NCEM
 High Water Marks: FEMA (damaged) and University of Maryland
 Storm: From NOAA National Weather Service

Notes:
¹ Surge estimated from surveyed surge only (VEAs). Local wave effects (wave height and wave runup) are not included in these elevations.
² Measured at feet relative to the North American Vertical Datum of 1988.
³ Post-Hurricane Katrina Advisory Base Flood Elevations (ABFEs) are based on updated statistical information to include the estimated 100-year return period water elevations (SWELs) plus additional wave effects. For the same County, MS, the advisory SWEL is 18 ft for the Gulf Coast and 14.5 ft for back bay areas. Some elevation effects may include the ABFE with wave effects for a given site.
 ABFE = Advisory SWEL + Wave Height
 where Wave Height = 1/2 Maximum Flooding Depth depth measured relative to the ground.

MAPS FOR ADVISORY PURPOSES ONLY - NOT FOR INSURANCE RATING PURPOSES
 For insurance rating purposes, refer to the currently effective Flood Insurance Rate Map (FIRM), available from your local government or the FEMA Map Service Center (1-800-368-6868; <http://msc.fema.gov>).



ZONE V Coastal flood zone with velocity hazard (wave action); no Base Flood Elevations determined.

ZONE VE Coastal flood zone with velocity hazard (wave action); Base Flood Elevations determined.

FLOODWAY AREAS IN ZONE AE

The floodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood heights.

OTHER FLOOD AREAS

Areas of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 1% annual chance flood.

OTHER AREAS

Areas determined to be outside the 0.2% annual chance floodplain.

ZONE X Areas in which flood hazards are undetermined, but possible.

COASTAL BARRIER RESOURCES SYSTEM (CBRS) AREAS

OTHERWISE PROTECTED AREAS (OPAs)

CBRS areas and OPAs are normally located within or adjacent to Special Flood Hazard Areas.

1% annual chance floodplain boundary
 0.2% annual chance floodplain boundary
 Floodway boundary
 Zone D boundary
 CBRS and OPA boundary
 Boundary dividing Special Flood Hazard Area Zones and boundary dividing Special Flood Hazard Areas of different Stage Flood Elevations, flood depths, or flood velocities
 Link of Moderate Wave Action Definition
 513 (EL 987)
 Base Flood Elevation line and value; elevation in feet
 Base Flood Elevation value where uniform within zone; elevation in feet
 * Referenced to the North American Vertical Datum of 1988

Map Index

97°07'30" - 32°22'30" N
 47°50'00" E
 6000000 FT
 DX8510 X
 M 1:5

MAP REPOSITORIES

Refer to Map Repositories list on Map Index

EFFECTIVE DATE OF COUNTYWIDE FLOOD INSURANCE RATE MAP

JUNE 16, 2009

PANEL 0244G

MAP SCALE 1" = 500'

250 500 750 1,000 FEET

FIRM

FLOOD INSURANCE RATE MAP

HARRISON COUNTY, MISSISSIPPI

AND INCORPORATED AREAS

PANEL 244 OF 575

(SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS:

COMMUNITY	NUMBER	PANEL	SUFFIX
GULFPORT CITY OF	280253	0244	G
HARRISON COUNTY	280256	0244	G
LONG BEACH CITY OF	280257	0244	G

Actions to Take: The Map Number shown below should be used when plotting maps on the Community Flood Insurance Rate Map. For the latest product information about National Flood Insurance Program flood maps, please visit the FEMA Flood Map Service Center Web site at www.fema.gov.

MAP NUMBER


28047C0244G

EFFECTIVE DATE

JUNE 16, 2009

Federal Emergency Management Agency

This is an official map of a portion of the above referenced flood map. It is not intended to be used for any purpose other than to identify flood zones. The map does not reflect changes or amendments to the Flood Insurance Rate Map. For the latest product information about National Flood Insurance Program flood maps, please visit the FEMA Flood Map Service Center Web site at www.fema.gov.




 MAP SCALE 1" = 500'
 250 500 750 1,000
 FEET

PANEL 0244G

FIRM
FLOOD INSURANCE RATE MAP
HARRISON COUNTY,
MISSISSIPPI
AND INCORPORATED AREAS

PANEL 244 OF 575
 (SEE MAP INDEX FOR FIRM PANEL LAYOUT)


CONTAINS:


COMMUNITY	NUMBER	PANEL	SUFFIX
GAULFPORT CITY OF	285252	0244	G
HARRISON COUNTY	285255	0244	G
LONG BEACH CITY OF	285257	0244	G

Notice to User: The Map Number shown below should be used in all correspondence with the Community. The Community should be notified of any changes to the map. For more information on the map, contact the Community.


MAP NUMBER
28047C0244G
EFFECTIVE DATE
JUNE 16, 2009
Federal Emergency Management Agency

This is an official copy of a portion of the Flood Insurance Rate Map for Harrison County, Mississippi. It is a reproduction of the Flood Insurance Rate Map for Harrison County, Mississippi, as published by the Federal Emergency Management Agency. The reproduction is for informational purposes only and does not constitute an official copy of the Flood Insurance Rate Map for Harrison County, Mississippi.





LEGEND - EXISTING

Symbol	Description
...	...

LEGEND - PROPOSED

Symbol	Description
...	...

DRAINAGE SCHEDULE

PIPE SIZE (IN)	SLOPE (%)	SPACING (FEET)
4	0.5	20
6	0.5	20
8	0.5	20
10	0.5	20
12	0.5	20
15	0.5	20
18	0.5	20
24	0.5	20
30	0.5	20
36	0.5	20
42	0.5	20
48	0.5	20

PIPE NOTES:
 1. ALL PIPES TO BE 15' LONG MINIMUM UNLESS OTHERWISE NOTED.
 2. ALL PIPES TO BE 4' DEEP MINIMUM UNLESS OTHERWISE NOTED.
 3. ALL PIPES TO BE 18" DIA. UNLESS OTHERWISE NOTED.
 4. ALL PIPES TO BE 15' LONG MINIMUM UNLESS OTHERWISE NOTED.

STRUCTURE TYPES
 1. STRUCTURE TO BE CONCRETE ON GRADE UNLESS OTHERWISE NOTED.
 2. STRUCTURE TO BE CONCRETE ON GRADE UNLESS OTHERWISE NOTED.

CALL BEFORE YOU DIG: 800-27-4477
 (IN MISSISSIPPI, 601-425-4477)
 MISSISSIPPI ONE CALL 800-27-4477
 (CALL BEFORE YOU DIG) MISSISSIPPI
 (SPACES ON DIAL-TONE IN ANY WAY)

- GRADING NOTES:**
1. ALL GRADING TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR GRADING AND DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 2. ALL GRADING TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR GRADING AND DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 3. ALL GRADING TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR GRADING AND DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 4. ALL GRADING TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR GRADING AND DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 5. ALL GRADING TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR GRADING AND DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 6. ALL GRADING TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR GRADING AND DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 7. ALL GRADING TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR GRADING AND DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 8. ALL GRADING TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR GRADING AND DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 9. ALL GRADING TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR GRADING AND DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 10. ALL GRADING TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR GRADING AND DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 11. ALL GRADING TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR GRADING AND DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 12. ALL GRADING TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR GRADING AND DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 13. ALL GRADING TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR GRADING AND DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 14. ALL GRADING TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR GRADING AND DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 15. ALL GRADING TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR GRADING AND DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.

- STORM DRAINAGE NOTES:**
1. ALL STORM DRAINAGE TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR STORM DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 2. ALL STORM DRAINAGE TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR STORM DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 3. ALL STORM DRAINAGE TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR STORM DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 4. ALL STORM DRAINAGE TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR STORM DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 5. ALL STORM DRAINAGE TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR STORM DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 6. ALL STORM DRAINAGE TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR STORM DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 7. ALL STORM DRAINAGE TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR STORM DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 8. ALL STORM DRAINAGE TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR STORM DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 9. ALL STORM DRAINAGE TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR STORM DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.
 10. ALL STORM DRAINAGE TO BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS FOR STORM DRAINAGE OF HIGHWAYS, 10TH EDITION, WITH THE LATEST REVISIONS, AS APPLICABLE.

GRADING PLAN
 SCALE: 1/4" = 1'-0"
 DATE: 2/14/12

C-2

PROPOSED DOLLAR GENERAL STORE
 LONG BEACH
 CITY OF LONG BEACH, MISSISSIPPI
 FOR HARRISON II EQUITY HOLDINGS, LLC
 NEW ORLEANS, LOUISIANA

STAMP
 DUPLANTIS DESIGN GROUP, PC
 DATE: 2/14/12

DUPLANTIS DESIGN GROUP, PC
 ONE ENVOYER DRIVE, SUITE 300
 THIBODOUX, LOUISIANA 70301
 PHONE: 985-495-5111 | FAX: 985-495-5111
 WWW.DDGP.COM

REVISION BY
